











Further measurement will be held at different Reynolds numbers in order to better understand the mechanism and reason for the observed drag reduction.

### **Acknowledgement**

I would like to thank the BTU Graduate Research School (GRS) for financing the research and Dr. Vasyl Motuz for supporting during the measurements.

### **References**

- P. M. Ligrani, J. L. Harrison, G. I. Mahmood, and M. L. Hill, 2001:**“Flowstructure due to dimple depression on a channel surface,” *Phys. Fluids* 13(11), 3442–3451.
- G. I. Mahmood and P. M. Ligrani, 2002:**“Heat transfer in a dimpled channel: Combined influences of aspect ratio, temperature ratio, Reynolds number, and flow structure,” *Int. J. Heat Mass Transfer* 45, 2011–2020.
- S. A. Isaev, A. I. Leontiev, N. A. Kudryavtsev, and I. A. Pyshnyi, 2003:**“The effect of rearrangement of the vortex structure on heat transfer under conditions of increasing depth of a spherical dimple on the wall of a narrow channel,” *High Temp.* 41(2), 229–232.
- N. K. Burgess and P. M. Ligrani, 2005:**“Effects of dimple depth on channel Nusselt numbers and friction factors,” *J. Heat Transfer* 127(8), pp. 839–847.
- P. M. Ligrani, N. Burgess, and S. Y. Won, 2005:**“Nusselt numbers and flow structure on and above a shallow dimpled surface within a channel including effects of inlet turbulence intensity level,” *J. Turbomach.* 127, 321–330.
- S.Y.Won, Q. Zhang, and P. M. Ligrani, 2005:**“Comparisons of flow structure above dimpled surfaces with different dimple depths in a channel,” *Phys. Fluids* 17, 045105.
- Z. Y. Wang, K. S. Yeo, and B. C. Khoo, 2006:**“DNS of low Reynolds number turbulent flows in dimpled channels,” *J. Turbul.* 7, N37.
- H. Lienhart, M. Breuer, and C. Köksoy, 2008:**“Drag reduction by dimples?—A complementary experimental/numerical investigation,” *Int. J. Heat Fluid Flow* 29(3), 783–791.
- S.Merbold, 2009:**“ Zum strömungsphysikalischen Einfluss strukturierter Vertiefungen auf den Reibungswiderstand von turbulent überströmten Oberflächen ”, Diploma thesis , Georg-August-University Göttingen .
- I. Marusic, B. J. McKeon, P. A. Monkewitz, H. M. Nagib, A. J. Smits, and K. R. Sreenivasan, 2010 :** “ Wall bounded turbulent flow at high Reynolds number: Recent advances and key issues. ”, *Physics of fluids* 22, 065103.
- S. A. Isaev, N. V. Kornev, A. I. Leontiev, and E. Hassel, 2010:**“Influence of the Reynolds number and the spherical dimple depth on turbulent heat transfer and hydraulic loss in a narrow channel,” *Int. J. Heat Mass Transfer* 53, 178–197.
- G. V. Kovalenko, V. I. Terekhov, and A. A. Khalatov, 2010:**“Flow regimes in a single dimple on the channel surface,” *J. Appl. Mech. Tech. Phys.* 51, pp. 839–848.
- H. G. Kwon, S. D. Hwang, and H. H. Cho, 2011:**“Measurement of local heat/mass transfer coefficients on a dimple using naphthalene sublimation,” *Int. J. Heat Mass Transfer* 54, 1071–1080.
- U. Butt, Ch. Egbers, 2013:** , “Aerodynamic characteristics of flow over circular cylinders with patterned surface”, *Int. Journal of Materials, Mechanics and Manufacturing*, Vol. 1, Nr. 2, 2013, pp 121-125.
- U. Butt, 2014:**“Experimental investigation of the flow over macroscopic hexagonal structured surface”, Doctoral thesis.
- C. M. J. Tay, Y.T. Chew, B.C. Khoo, J.B. Zhao, 2014 :**” Development of flow structures over dimples. ”, *Experimental Thermal and Fluid Science* 52 pp. 278–287.
- C. M. J. Tay, B. C. Khoo, and Y. T. Chew, 2015:**“ Mechanics of drag reduction by shallow dimples in channel flow,” *physics of fluids* 27, 035109.
- U. Butt, C. Egbers, 2016:** “Flow structure due to hexagonal cavities and bumps on a plate surface”, *Thermophysics and Aeromechanics*.
- M. Yousry, A. Shahripour, S. Merbold, C. Egbers: 2016**” Influence on flow behaviour inside a rectangular channel by patterned surface”, *German Association for Laser Anemometry GALA e.V.* 2016,pp.26(1-7).